

AEM2G45X11-3	Limit switch, compact, lever with 18mm nylon roller actuator, 1 N.O. and 1 N.C. contact with slow action break before make, 35mm wide metal die-cast zinc alloy body, IP67, 3-meter cable exit	\$60
AEM2G51Z11-3	Limit switch, compact, adjustable lever with 18mm nylon roller actuator, 1 N.O. and 1 N.C. contact with snap action, 35mm wide metal die-cast zinc alloy body, IP67, 3-meter cable exit	\$60
AEM2G51X11-3	Limit switch, compact, adjustable lever with 18mm nylon roller actuator, 1 N.O. and 1 N.C. contact with slow action break before make, 35mm wide metal die-cast zinc alloy body, IP67, 3-meter cable exit	\$60
AEM2G61Z11-3	Limit switch, compact, lever with nylon tipped stainless steel spring actuator, 1 N.O. and 1 N.C. contact with snap action, 35mm wide metal die-cast zinc alloy body, IP67, 3-meter cable exit	\$60
AEM2G61X11-3	Limit switch, compact, lever with nylon tipped stainless steel spring actuator, 1 N.O. and 1 N.C. contact with slow action break before make, 35mm wide metal die-cast zinc alloy body, IP67, 3-meter cable exit	\$60
AEM2G71Z11-3	Limit switch, compact, adjustable 3mm stainless steel rod actuator, 1 N.O. and 1 N.C. contact with snap action, 35mm wide metal die-cast zinc alloy body, IP67, 3-meter cable exit	\$60
AEM2G71X11-3	Limit switch, compact, adjustable 3mm stainless steel rod actuator, 1 N.O. and 1 N.C. contact with slow action break before make, 35mm wide metal die-cast zinc alloy body, IP67, 3-meter cable exit	\$60
AEM2G72Z11-3	Limit switch, compact, adjustable 3mm fiberglass rod actuator, 1 N.O. and 1 N.C. contact with snap action, 35mm wide metal die-cast zinc alloy body, IP67, 3-meter cable exit	\$60
AEM2G72X11-3	Limit switch, compact, adjustable 3mm fiberglass rod actuator, 1 N.O. and 1 N.C. contact with slow action break before make, 35mm wide metal die-cast zinc alloy body, IP67, 3-meter cable exit	\$60
AEM2G75Z11-3	Limit switch, compact, adjustable 3mm square steel actuator, 1 N.O. and 1 N.C. contact with snap action, 35mm wide metal die-cast zinc alloy body, IP67, 3-meter cable exit	\$59
AEM2G75X11-3	Limit switch, compact, adjustable 3mm square steel actuator, 1 N.O. and 1 N.C. contact with slow action break before make, 35mm wide metal die-cast zinc alloy body, IP67, 3-meter cable exit	\$58
AEM2G73Z11-3	Limit switch, compact, adjustable 6mm nylon rod actuator, 1 N.O. and 1 N.C. contact with snap action, 35mm wide metal die-cast zinc alloy body, IP67, 3-meter cable exit	\$58
AEM2G73X11-3	Limit switch, compact, adjustable 6mm nylon rod actuator, 1 N.O. and 1 N.C. contact with slow action break before make, 35mm wide metal die-cast zinc alloy body, IP67, 3-meter cable exit	\$58
AEM2G74Z11-3	Limit switch, compact, adjustable 6mm fiberglass rod actuator, 1 N.O. and 1 N.C. contact with snap action, 35mm wide metal die-cast zinc alloy body, IP67, 3-meter cable exit	\$58
AEM2G74X11-3	Limit switch, compact, adjustable 6mm fiberglass rod actuator, 1 N.O. and 1 N.C. contact with slow action break before make, 35mm wide metal die-cast zinc alloy body, IP67, 3-meter cable exit	\$58
AEM2G92Z11-3	Limit switch, compact, 360 degree stainless steel spring with nylon tip actuator, 1 N.O. and 1 N.C. contact with snap action, 35mm wide metal die-cast zinc alloy body, IP67, 3-meter cable exit	\$57
AEM2G93Z11-3	Limit switch, compact, 360 degree stainless steel spring actuator, 1 N.O. and 1 N.C. contact with snap action, 35mm wide metal die-cast zinc alloy body, IP67, 3-meter cable exit	\$57

Product Code	Foot Switches/Metal-Guard Foot Switches & Solenoid Valve Connectors/Cable	Aust\$
APS1211-V0	Foot switch, single, ABS plastic, safety actuating lever, yellow cover, 1 N.O. and 1 N.C. contact block	\$88
APS1213-V0	Foot switch, single, ABS plastic, safety actuating lever, yellow cover, 2 N.O. and 2 N.C. contact blocks	\$99
APS1151-V0	Foot switch, single, ABS plastic, half red cover, 1 N.O. and 1 N.C. contact block	\$88
APD1231-V0	Foot switch, double, ABS plastic, safety actuating lever, 1 with yellow cover and 1 with gray cover, 1 N.O. and 1 N.C. contact block for each switch	\$190
APS1113-V0-M	Electric foot switch, single, yellow die-cast aluminum foot guard, gray ABS plastic base and pedal, free moving momentary actuating pedal, 2 N.O. and 2 N.C. snap action contacts	\$131
APS1114-V0-M	Electric foot switch, single, yellow die-cast aluminum foot guard, gray ABS plastic base and pedal, free moving momentary actuating pedal, 2 N.O. and 2 N.C. slow action contacts	\$131
APS1123-V0-M	Electric foot switch, single, gray die-cast aluminum foot guard, gray ABS plastic base and pedal, free moving momentary actuating pedal, 2 N.O. and 2 N.C. snap action contacts	\$131
APS1124-V0-M	Electric foot switch, single, gray die-cast aluminum foot guard, gray ABS plastic base and pedal, free moving momentary actuating pedal, 2 N.O. and 2 N.C. slow action contacts	\$131
APS1143-V0-M	Electric foot switch, single, red die-cast aluminum foot guard, gray ABS plastic base and pedal, free moving momentary actuating pedal, 2 N.O. and 2 N.C. snap action contacts	\$131
APS1144-V0-M	Electric foot switch, single, red die-cast aluminum foot guard, gray ABS plastic base and pedal, free moving momentary actuating pedal, 2 N.O. and 2 N.C. slow action contacts	\$131
APS1213-V0-M	Electric foot switch, single, yellow die-cast aluminum foot guard, gray ABS plastic base and pedal, safety anti-trip momentary actuating pedal, 2 N.O. and 2 N.C. snap action contacts	\$145
APS1214-V0-M	Electric foot switch, single, yellow die-cast aluminum foot guard, gray ABS plastic base and pedal, safety anti-trip momentary actuating pedal, 2 N.O. and 2 N.C. slow action contacts	\$145
APS1223-V0-M	Electric foot switch, single, gray die-cast aluminum foot guard, gray ABS plastic base and pedal, safety anti-trip momentary actuating pedal, 2 N.O. and 2 N.C. snap action contacts	\$145
APS1224-V0-M	Electric foot switch, single, gray die-cast aluminum foot guard, gray ABS plastic base and pedal, safety anti-trip momentary actuating pedal, 2 N.O. and 2 N.C. slow action contacts	\$145
APS1243-V0-M	Electric foot switch, single, red die-cast aluminum foot guard, gray ABS plastic base and pedal, safety anti-trip momentary actuating pedal, 2 N.O. and 2 N.C. snap action contacts	\$145
APS1244-V0-M	Electric foot switch, single, red die-cast aluminum foot guard, gray ABS plastic base and pedal, safety anti-trip momentary actuating pedal, 2 N.O. and 2 N.C. slow action contacts	\$145
APS1313-V0-M	Electric foot switch, single, yellow die-cast aluminum foot guard, gray ABS plastic base and pedal, free moving maintained actuating pedal, 2 N.O. and 2 N.C. snap action contacts	\$145
APS1314-V0-M	Electric foot switch, single, yellow die-cast aluminum foot guard, gray ABS plastic base and pedal, free moving maintained actuating pedal, 2 N.O. and 2 N.C. slow action contacts	\$145
APS1323-V0-M	Electric foot switch, single, gray die-cast aluminum foot guard, gray ABS plastic base and pedal, free moving maintained actuating pedal, 2 N.O. and 2 N.C. snap action contacts	\$145
APS1324-V0-M	Electric foot switch, single, gray die-cast aluminum foot guard, gray ABS plastic base and pedal, free moving maintained actuating pedal, 2 N.O. and 2 N.C. slow action contacts	\$145
APS1343-V0-M	Electric foot switch, single, red die-cast aluminum foot guard, gray ABS plastic base and pedal, free moving maintained actuating pedal, 2 N.O. and 2 N.C. snap action contacts	\$145
APS1344-V0-M	Electric foot switch, single, red die-cast aluminum foot guard, gray ABS plastic base and pedal, free moving maintained actuating pedal, 2 N.O. and 2 N.C. slow action contacts	\$145
APD1113-V0-M	Electric foot switch, double, two yellow die-cast aluminum foot guards, gray ABS plastic base and pedals, free moving momentary actuating pedals, each with 2 N.O. and 2 N.C. snap action contacts	\$309
APD1114-V0-M	Electric foot switch, double, two yellow die-cast aluminum foot guards, gray ABS plastic base and pedals, free moving momentary actuating pedals, each with 2 N.O. and 2 N.C. slow action contacts	\$309
APD1123-V0-M	Electric foot switch, double, two gray die-cast aluminum foot guards, gray ABS plastic base and pedals, free moving momentary actuating pedals, each with 2 N.O. and 2 N.C. snap action contacts	\$309
APD1124-V0-M	Electric foot switch, double, two gray die-cast aluminum foot guards, gray ABS plastic base and pedals, free moving momentary actuating pedals, each with 2 N.O. and 2 N.C. slow action contacts	\$309
APD1133-V0-M	Electric foot switch, double, one yellow and one gray die-cast aluminum foot guard, gray ABS plastic base and pedals, free moving momentary actuating pedals, each with 2 N.O. and 2 N.C. snap action contacts	\$309
APD1134-V0-M	Electric foot switch, double, one yellow and one gray die-cast aluminum foot guard, gray ABS plastic base and pedals, free moving momentary actuating pedals, each with 2 N.O. and 2 N.C. slow action contacts	\$309
APD1213-V0-M	Electric foot switch, double, two yellow die-cast aluminum foot guard, gray ABS plastic base and pedals, safety anti-trip momentary actuating pedals, each with 2 N.O. and 2 N.C. snap action contacts	\$319
APD1214-V0-M	Electric foot switch, double, two yellow die-cast aluminum foot guard, gray ABS plastic base and pedals, safety anti-trip momentary actuating pedals, each with 2 N.O. and 2 N.C. slow action contacts	\$319
APD1223-V0-M	Electric foot switch, double, two gray die-cast aluminum foot guard, gray ABS plastic base and pedals, safety anti-trip momentary actuating pedals, each with 2 N.O. and 2 N.C. snap action contacts	\$319
APD1224-V0-M	Electric foot switch, double, two gray die-cast aluminum foot guard, gray ABS plastic base and pedals, safety anti-trip momentary actuating pedals, each with 2 N.O. and 2 N.C. slow action contacts	\$319
APD1233-V0-M	Electric foot switch, double, one yellow and one gray die-cast aluminum foot guard, gray ABS plastic base and pedals, safety anti-trip momentary actuating pedals, each with 2 N.O. and 2 N.C. snap action contacts	\$319
APD1234-V0-M	Electric foot switch, double, one yellow and one gray die-cast aluminum foot guard, gray ABS plastic base and pedals, safety anti-trip momentary actuating pedals, each with 2 N.O. and 2 N.C. slow action contacts	\$319

Product Code	Heavy Duty IEC Limit Switches	Aust\$
ABM1E11Z11	Limit switch, IEC, aluminum body, 1 cable entry, PG13.5 threads, stainless steel plunger actuator	\$39
ABM5E11Z11	Limit switch, IEC, aluminum body, 3 cable entries, PG13.5 threads, stainless steel plunger actuator	\$84
ABM1E13Z11	Limit switch, IEC, aluminum body, 1 cable entry, PG13.5 threads, stainless steel plunger with roller actuator	\$84
ABM5E13Z11	Limit switch, IEC, aluminum body, 3 cable entries, PG13.5 threads, stainless steel plunger with roller actuator	\$86
ABM1E32Z11	Limit switch, IEC, aluminum body, 1 cable entry, PG13.5 threads, one-way lever with stainless steel roller actuator	\$84
ABM5E32Z11	Limit switch, IEC, aluminum body, 3 cable entries, PG13.5 threads, one-way lever with stainless steel roller actuator	\$84
ABM1E42Z11	Limit switch, IEC, aluminum body, 1 cable entry, PG13.5 threads, lever with stainless steel roller actuator	\$86
ABM5E42Z11	Limit switch, IEC, aluminum body, 3 cable entries, PG13.5 threads, lever with stainless steel roller actuator	\$86
ABM1E52Z11	Limit switch, IEC, aluminum body, 1 cable entry, PG13.5 threads, adjustable lever with stainless steel roller actuator	\$86
ABM5E52Z11	Limit switch, IEC, aluminum body, 3 cable entries, PG13.5 threads, adjustable lever with stainless steel roller actuator	\$84
ABM1E71Z11	Limit switch, IEC, aluminum body, 1 cable entry, PG13.5 threads, stainless steel rod actuator	\$86
ABM5E71Z11	Limit switch, IEC, aluminum body, 3 cable entries, PG13.5 threads, stainless steel rod actuator	\$50
ABM1E92Z11	Limit switch, IEC, aluminum body, 1 cable entry, PG13.5 threads, 360 degree stainless steel spring with polyamide tip actuator	\$43
ABM5E92Z11	Limit switch, IEC, aluminum body, 3 cable entries, PG13.5 threads, 360 degree stainless steel spring with polyamide tip actuator	\$84
ABM1E93Z11	Limit switch, IEC, aluminum body, 1 cable entry, PG13.5 threads, 360 degree stainless steel spring actuator	\$86

Product Code	Double-Insulated (PBT) IEC Limit Switches	Aust\$
ABP1H14Z11	Limit switch, IEC, plastic body, 1 cable entry, PG13.5 threads, galvanized steel plunger actuator with protective rubber cap	\$59
ABP1H19Z11	Limit switch, IEC, plastic body, 1 cable entry, PG13.5 threads, galvanized steel plunger with roller actuator and protective rubber cap	\$59
ABP1H35Z11	Limit switch, IEC, plastic body, 1 cable entry, PG13.5 threads, one-way lever with polyamide roller actuator and protective rubber cap	\$59
ABP1H41Z11	Limit switch, IEC, plastic body, 1 cable entry, PG13.5 threads, side rotary lever with polyamide roller actuator	\$65
ABP1H51Z11	Limit switch, IEC, plastic body, 1 cable entry, PG13.5 threads, side rotary adjustable lever with polyamide roller actuator	\$59
ABP1H71Z11	Limit switch, IEC, plastic body, 1 cable entry, PG13.5 threads, stainless steel rod actuator	\$59
ABP1H92Z11	Limit switch, IEC, plastic body, 1 cable entry, PG13.5 threads, 360 degree stainless steel spring with polyamide tip actuator	\$59
ABP1H93Z11	Limit switch, IEC, plastic body, 1 cable entry, PG13.5 threads, 360 degree stainless steel spring actuator	\$59
Product Code	Double-Insulated (PBT) IEC Miniature DIN Limit Switches	Aust\$
AAP2T14Z11	Limit switch, IEC, miniature DIN, plastic body, 1 cable entry, PG11 threads, snap action, galvanized steel plunger with dust protection cup. 1/2 inch NPT adapter included.	\$32
AAP2T13Z11	Limit switch, IEC, miniature DIN, plastic body, 1 cable entry, PG11 threads, snap action, galvanized steel plunger with polyamide plastic roller. 1/2 inch NPT adapter included.	\$32
AAP2T35Z11	Limit switch, IEC, miniature DIN, plastic body, 1 cable entry, PG11 threads, snap action, one-way lever with polyamide roller and protective dust cup. 1/2 inch NPT adapter included.	\$32
AAP2T41Z11	Limit switch, IEC, miniature DIN, plastic body, 1 cable entry, PG11 threads, snap action, side rotary, lever with polyamide roller. 1/2 inch NPT adapter included.	\$32
AAP2T51Z11	Limit switch, IEC, miniature DIN, plastic body, 1 cable entry, PG11 threads, snap action, side rotary, adjustable lever with polyamide roller. 1/2 inch inch NPT adapter included.	\$32
AAP2T71Z11	Limit switch, IEC, miniature DIN, plastic body, 1 cable entry, PG11 threads, snap action, side rotary, steel rod. 1/2 inch NPT adapter included.	\$32
Product Code	IEC Limit Switch Spare Parts and Accessories	Aust\$
AGE42-LEVER	Replacement actuator, lever with stainless steel roller, for use on E42 ABM and ABP switches	\$12
AGE44-LEVER	Replacement actuator, lever with rubber roller, for use on E42 ABM and ABP switches	\$12
AGE52-LEVER	Replacement actuator, adjustable lever with stainless steel roller, for use on E52 ABM and ABP switches	\$14
AGE54-LEVER	Replacement actuator, adjustable lever with rubber roller, for use on E52 ABM and ABP switches	\$14
AGZ11-SWITCH	Contact block, snap action, 1 N.O. and 1 N.C contact, for limit switches	\$12
AGZ02-SWITCH	Contact block, snap action, 2 N.C contacts, for limit switches	\$12
AGX11-SWITCH	Contact block, slow action, delay, 1 N.O. and 1 N.C contact, for limit switches	\$12
AGY11-SWITCH	Contact block, slow action, overlay, 1 N.O. and 1 N.C contact, for limit switches	\$12
AGW02-SWITCH	Contact block, slow action, delay, 2 N.C. contacts, for limit switches	\$13
AGW20-SWITCH	Contact block, slow action, overlay, 2 N.O. contacts, for limit switches	\$11