

Motor Controls		
22mm Metal Pushbuttons, Selector Switches, Indicator Lights & Accessories		
Product Code	Non Illuminated Pushbuttons	Aust\$
GCX1100	Pushbutton, 22 mm metal, momentary, black flush operator, 1 N.O. contact block	\$16
GCX1100-SC	Pushbutton operator, 22 mm metal, momentary, black, flush. Includes operator and support base ONLY. Contact blocks sold separately.	\$11
GCX1101	Pushbutton, 22 mm metal, momentary, red flush operator, 1 N.C. contact block	\$16
GCX1101-SC	Pushbutton operator, 22 mm metal, momentary, red, flush. Includes operator and support base ONLY. Contact blocks sold separately.	\$11
GCX1102	Pushbutton, 22 mm metal, momentary, green flush operator, 1 N.O. contact block	\$16
GCX1102-SC	Pushbutton operator, 22 mm metal, momentary, green, flush. Includes operator and support base ONLY. Contact blocks sold separately.	\$11
GCX1103	Pushbutton, 22 mm metal, momentary, yellow flush operator, 1 N.O. contact block	\$16
GCX1104	Pushbutton, 22 mm metal, momentary, blue flush operator, 1 N.O. contact block	\$16
GCX1105	Pushbutton, 22 mm metal, momentary, white flush operator, 1 N.O. contact block	\$16
GCX1106	Pushbutton, 22 mm metal, momentary, red with OFF symbol (0) on flush operator, 1 N.C. contact block	\$17
GCX1107	Pushbutton, 22 mm metal, momentary, green with ON symbol (1) on flush operator, 1 N.O. contact block	\$17
GCX1110	Pushbutton, 22 mm metal, momentary, black, extended operator, 1 N.O. contact block	\$17
GCX1110-SC	Pushbutton operator, 22 mm metal, momentary, black, extended. Includes operator and support base ONLY. Contact blocks sold separately.	\$11
GCX1111	Pushbutton, 22 mm metal, momentary, red, extended operator, 1 N.C. contact block	\$17
GCX1111-SC	Pushbutton operator, 22 mm metal, momentary, red extended. Includes operator and support base ONLY. Contact blocks sold separately.	\$11
GCX1112	Pushbutton, 22 mm metal, momentary, green, extended operator, 1 N.O. contact block	\$17
GCX1112-SC	Pushbutton operator, 22 mm metal, momentary, green, extended. Includes operator and support base ONLY. Contact blocks sold separately.	\$11
GCX1113	Pushbutton, 22 mm metal, momentary, yellow, extended operator, 1 N.O. contact block	\$17
GCX1114	Pushbutton, 22 mm metal, momentary, blue, extended operator, 1 N.O. contact block	\$17

GCX1115	Pushbutton, 22 mm metal, momentary, white, extended operator, 1 N.O. contact block	\$17
GCX1120	Pushbutton, 22 mm metal, momentary, black, large 40 mm flush actuator, 1 N.O. contact block (mounts in standard 22 mm hole)	\$18
GCX1121	Pushbutton, 22 mm metal, momentary, red, large 40 mm flush actuator, 1 N.C. contact block (mounts in standard 22 mm hole)	\$18
GCX1122	Pushbutton, 22 mm metal, momentary, green, large 40 mm flush actuator, 1 N.O. contact block (mounts in standard 22 mm hole)	\$18
GCX1123	Pushbutton, 22 mm metal, momentary, yellow, large 40 mm flush actuator, 1 N.O. contact block (mounts in standard 22 mm hole)	\$18
GCX1124	Pushbutton, 22 mm metal, momentary, blue, large 40 mm flush actuator, 1 N.O. contact block (mounts in standard 22 mm hole)	\$18
GCX1125	Pushbutton, 22 mm metal, momentary, white, large 40 mm flush actuator, 1 N.O. contact block (mounts in standard 22 mm hole)	\$18
GCX1131	Pushbutton, 22 mm metal, twist-to-release, red 40 mm mushroom operator, 1 N.C. contact block. Typically used in Emergency Stop applications.	\$29
GCX1134	Pushbutton, 22 mm metal, momentary, black 40 mm mushroom operator, 1 N.O. contact block	\$25
GCX1135	Pushbutton, 22 mm metal, momentary, red 40 mm mushroom operator, 1 N.C. contact block	\$25
GCX1139	Pushbutton, 22 mm metal, momentary, yellow 40 mm mushroom operator, 1 N.O. contact block	\$25
GCX1141	Pushbutton, 22 mm metal, key operated release, red 40 mm mushroom operator, 1 N.C. contact block. Typically used in Emergency Stop applications.	\$40
GCX1136	Pushbutton, 22 mm metal, twist-to-release, red 60 mm mushroom operator, 1 N.C. contact block. Typically used in Emergency Stop applications	\$37
GCX1137	Pushbutton, 22 mm metal, momentary, red 60 mm mushroom operator, 1 N.C. contact block.	\$30
GCX1150	Pushbutton, 22 mm metal, two-way for On/Off control, faces without symbols. Supplied with 1 N.O. and 1 N.C. contact block.	\$30
GCX1152	Pushbutton, 22 mm metal, two-way for On/Off control, with ON (1) and OFF (0) symbols. Supplied with 1 N.O. and 1 N.C. contact block.	\$33
GCX1151-24	Pushbutton, 22 mm metal, two-way for On/Off control, 24 VAC/DC indicator, faces without symbols. Supplied with 1 N.O. and 1 N.C. contact block	\$44
GCX1151-120	Pushbutton, 22 mm metal, two-way for On/Off control, 120 VAC/DC indicator, faces without symbols. Supplied with 1 N.O. and 1 N.C. contact block	\$46
GCX1153-24	Pushbutton, 22 mm metal, two-way for On/Off control, 24 VAC/DC indicator, with ON (1) and OFF (0) symbols. Supplied with 1 N.O. and 1 N.C. contact block	\$46
GCX1153-120	Pushbutton, 22 mm metal, two-way for On/Off control, 120 VAC/DC indicator, with ON (1) and OFF (0) symbols. Supplied with 1 N.O. and 1 N.C. contact block	\$50

Product Code	Illuminated Pushbuttons	Aust\$
GCX1191-24	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, red, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$34
GCX1192-24	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, green, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$34
GCX1193-24	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, yellow, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$34
GCX1194-24	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, blue, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$34
GCX1195-24	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, clear, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$34
GCX1196-24	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, white, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$34
GCX1191-120	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, red, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$35
GCX1192-120	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, green, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$35
GCX1193-120	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, yellow, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$35
GCX1194-120	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, blue, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$35
GCX1195-120	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, clear, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$35
GCX1196-120	Pushbutton, 22 mm metal, push ON - push OFF, incandescent illuminated, white, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$35
GCX1191-24L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, red, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$55
GCX1192-24L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, green, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$55
GCX1193-24L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, yellow, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$55
GCX1194-24L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, blue, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$55
GCX1195-24L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, clear, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$55
GCX1196-24L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, white, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$55
GCX1191-120L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, red, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$58
GCX1192-120L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, green, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$58
GCX1193-120L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, yellow, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$58

GCX1194-120L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, blue, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$58
GCX1195-120L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, clear, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$58
GCX1196-120L	Pushbutton, 22 mm metal, push ON - push OFF, LED illuminated, white, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$58
GCX1201-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, red, 24 VAC/DC, flush operator with colored plastic ring, 1 N.C. contact block.	\$30
GCX1202-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, green, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$30
GCX1203-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, yellow, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$30
GCX1204-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, blue, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$30
GCX1205-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, clear, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$30
GCX1206-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, white, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$30
GCX1201-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, red, 120 VAC/DC, flush operator with colored plastic ring, 1 N.C. contact block.	\$33
GCX1202-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, green, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$33
GCX1203-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, yellow, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$33
GCX1204-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, blue, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$33
GCX1205-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, clear, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$33
GCX1206-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, white, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block.	\$33
GCX1201-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, red, 24 VAC/DC, flush operator with colored plastic ring, 1 N.C. contact block	\$45
GCX1202-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, green, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$45
GCX1203-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, yellow, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$45
GCX1204-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, blue, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$45
GCX1205-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, clear, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$55

GCX1206-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, white, 24 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$55
GCX1201-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, red, 120 VAC/DC, flush operator with colored plastic ring, 1 N.C. contact block	\$58
GCX1202-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, green, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$58
GCX1203-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, yellow, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$58
GCX1204-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, blue, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$58
GCX1205-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, clear, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$58
GCX1206-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, white, 120 VAC/DC, flush operator with colored plastic ring, 1 N.O. contact block	\$58
GCX1211-120LA	Pushbutton, 22 mm metal, momentary, LED illuminated, red, 120 VAC/DC, extended operator, 1 N.O. contact block	\$44
GCX1211-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, red, 24 VAC/DC, extended operator, 1 N.C. contact block	\$30
GCX1212-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, green, 24 VAC/DC, extended operator, 1 N.O. contact block	\$30
GCX1213-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, yellow, 24 VAC/DC, extended operator, 1 N.O. contact block	\$30
GCX1214-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, blue, 24 VAC/DC, extended operator, 1 N.O. contact block	\$30
GCX1215-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, clear, 24 VAC/DC, extended operator, 1 N.O. contact block	\$30
GCX1216-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, white, 24 VAC/DC, extended operator, 1 N.O. contact block	\$30
GCX1211-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, red, 120 VAC/DC lamp, extended operator, 1 N.C. contact block	\$33
GCX1212-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, green, 120 VAC/DC lamp, extended operator, 1 N.O. contact block	\$33
GCX1213-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, yellow, 120 VAC/DC lamp, extended operator, 1 N.O. contact block	\$33
GCX1214-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, blue, 120 VAC/DC lamp, extended operator, 1 N.O. contact block	\$33
GCX1215-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, clear, 120 VAC/DC lamp, extended operator, 1 N.O. contact block	\$33
GCX1216-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, white, 120 VAC/DC lamp, extended operator, 1 N.O. contact block	\$33

GCX1211-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, red, 24 VAC/DC, extended operator, 1 N.C. contact block	\$39
GCX1212-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, green, 24 VAC/DC, extended operator, 1 N.O. contact block	\$44
GCX1213-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, yellow, 24 VAC/DC, extended operator, 1 N.O. contact block	\$39
GCX1214-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, blue, 24 VAC/DC, extended operator, 1 N.O. contact block	\$44
GCX1215-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, clear, 24 VAC/DC, extended operator, 1 N.O. contact block	\$48
GCX1216-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, white, 24 VAC/DC, extended operator, 1 N.O. contact block	\$48
GCX1211-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, red, 120 VAC/DC, extended operator, 1 N.C. contact block	\$44
GCX1212-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, green, 120 VAC/DC, extended operator, 1 N.O. contact block	\$30
GCX1213-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, yellow, 120 VAC/DC, extended operator, 1 N.O. contact block	\$41
GCX1214-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, blue, 120 VAC/DC, extended operator, 1 N.O. contact block	\$47
GCX1215-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, clear, 120 VAC/DC, extended operator, 1 N.O. contact block	\$52
GCX1216-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, white, 120 VAC/DC, extended operator, 1 N.O. contact block	\$52
GCX1221-24	Pushbutton, 22 mm metal, momentary, incandescent illuminated, red, 24 VAC/DC, 40 mm mushroom operator, 1 N.C. contact block	\$35
GCX1221-120	Pushbutton, 22 mm metal, momentary, incandescent illuminated, red, 120 VAC/DC, 40 mm mushroom operator, 1 N.C. contact block	\$37
GCX1226-24	Pushbutton, 22 mm metal, latch with twist-to-release, incandescent illuminated, red, 24 VAC/DC, 40 mm mushroom operator, 1 N.C. contact block	\$38
GCX1226-120	Pushbutton, 22 mm metal, latch with twist-to-release, incandescent illuminated, red, 120 VAC/DC, 40 mm mushroom operator, 1 N.C. contact block	\$42
GCX1221-24L	Pushbutton, 22 mm metal, momentary, LED illuminated, red, 24 VAC/DC, 40 mm mushroom operator, 1 N.C. contact block	\$42
GCX1221-120L	Pushbutton, 22 mm metal, momentary, LED illuminated, red, 120 VAC/DC, 40 mm mushroom operator, 1 N.C. contact block	\$45
GCX1226-24L	Pushbutton, 22 mm metal, latch with twist-to-release, LED illuminated, red, 24 VAC/DC, 40 mm mushroom operator, 1 N.C. contact block	\$46
GCX1226-120L	Pushbutton, 22 mm metal, latch with twist-to-release, LED illuminated, red, 120 VAC/DC, 40 mm mushroom operator, 1 N.C. contact block	\$50

Product Code	Selector Switches	Aust\$
GCX1241-24	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent illuminated, red, 24 VAC/DC, knob operator, 1 N.O. contact block	\$35
GCX1242-24	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent illuminated, green, 24 VAC/DC, knob operator, 1 N.O. contact block	\$35
GCX1243-24	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent illuminated, yellow, 24 VAC/DC, knob operator, 1 N.O. contact block	\$35
GCX1244-24	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent illuminated, blue, 24 VAC/DC, knob operator, 1 N.O. contact block	\$35
GCX1245-24	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent incandescent incandescent illuminated, clear, 24 VAC/DC, knob operator, 1 N.O. contact block	\$35
GCX1251-24	Selector switch, 22 mm metal, 2-position, maintained, incandescent illuminated, red, 24 VAC/DC, knob operator, 1 N.O. contact block	\$35
GCX1252-24	Selector switch, 22 mm metal, 2-position, maintained, incandescent illuminated, green, 24 VAC/DC, knob operator, 1 N.O. contact block	\$35
GCX1253-24	Selector switch, 22 mm metal, 2-position, maintained, incandescent incandescent illuminated, yellow, 24 VAC/DC, knob operator, 1 N.O. contact block	\$35
GCX1254-24	Selector switch, 22 mm metal, 2-position, maintained, incandescent illuminated, blue, 24 VAC/DC, knob operator, 1 N.O. contact block	\$35
GCX1255-24	Selector switch, 22 mm metal, 2-position, maintained, incandescent illuminated, clear, 24 VAC/DC, knob operator, 1 N.O. contact block	\$35
GCX1241-120	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent illuminated, red, 120 VAC/DC, knob operator, 1 N.O. contact block	\$36
GCX1242-120	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent illuminated, green, 120 VAC/DC, knob operator, 1 N.O. contact block	\$36
GCX1243-120	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent illuminated, yellow, 120 VAC/DC, knob operator, 1 N.O. contact block	\$36
GCX1244-120	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent illuminated, blue, 120 VAC/DC, knob operator, 1 N.O. contact block	\$36
GCX1245-120	Selector switch, 22 mm metal, 2-position, spring return from right, incandescent illuminated, clear, 120 VAC/DC, knob operator, 1 N.O. contact block	\$36
GCX1251-120	Selector switch, 22 mm metal, 2-position, maintained, incandescent illuminated, red, 120 VAC/DC, knob operator, 1 N.O. contact block	\$36
GCX1252-120	Selector switch, 22 mm metal, 2-position, maintained, incandescent illuminated, green, 120 VAC/DC, knob operator, 1 N.O. contact block	\$36
GCX1253-120	Selector switch, 22 mm metal, 2-position, maintained, incandescent illuminated, yellow, 120 VAC/DC, knob operator, 1 N.O. contact block	\$36
GCX1254-120	Selector switch, 22 mm metal, 2-position, maintained, incandescent illuminated, blue, 120 VAC/DC, knob operator, 1 N.O. contact block	\$36

GCX1255-120	Selector switch, 22 mm metal, 2-position, maintained, incandescent illuminated, clear, 120 VAC/DC, knob operator, 1 N.O. contact block	\$36
GCX1241-24L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, red, 24 VAC/DC, knob operator, 1 N.O. contact block	\$42
GCX1242-24L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, green, 24 VAC/DC, knob operator, 1 N.O. contact block	\$47
GCX1243-24L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, yellow, 24 VAC/DC, knob operator, 1 N.O. contact block	\$42
GCX1244-24L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, blue, 24 VAC/DC, knob operator, 1 N.O. contact block	\$47
GCX1245-24L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, clear, 24 VAC/DC, knob operator, 1 N.O. contact block	\$53
GCX1251-24L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, red, 24 VAC/DC, knob operator, 1 N.O. contact block	\$42
GCX1252-24L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, green, 24 VAC/DC, knob operator, 1 N.O. contact block	\$47
GCX1253-24L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, yellow, 24 VAC/DC, knob operator, 1 N.O. contact block	\$42
GCX1254-24L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, blue, 24 VAC/DC, knob operator, 1 N.O. contact block	\$46
GCX1255-24L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, clear, 24 VAC/DC, knob operator, 1 N.O. contact block	\$53
GCX1241-120L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, red, 120 VAC/DC, knob operator, 1 N.O. contact block	\$42
GCX1242-120L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, green, 120 VAC/DC, knob operator, 1 N.O. contact block	\$47
GCX1243-120L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, yellow, 120 VAC/DC, knob operator, 1 N.O. contact block	\$42
GCX1244-120L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, blue, 120 VAC/DC, knob operator, 1 N.O. contact block	\$53
GCX1245-120L	Selector switch, 22 mm metal, 2-position, spring return from right, LED illuminated, clear, 120 VAC/DC, knob operator, 1 N.O. contact block	\$53
GCX1251-120L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, red, 120 VAC/DC, knob operator, 1 N.O. contact block	\$42
GCX1252-120L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, green, 120 VAC/DC, knob operator, 1 N.O. contact block	\$46
GCX1253-120L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, yellow, 120 VAC/DC, knob operator, 1 N.O. contact block	\$42
GCX1254-120L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, blue, 120 VAC/DC, knob operator, 1 N.O. contact block	\$53

GCX1255-120L	Selector switch, 22 mm metal, 2-position, maintained, LED illuminated, clear, 120 VAC/DC, knob operator, 1 N.O. contact block	\$56
GCX1261-24	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, red, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1262-24	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, green, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1263-24	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, yellow, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1264-24	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, blue, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1265-24	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, clear, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1281-24	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, red, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1282-24	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, green, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1283-24	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, yellow, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1284-24	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, blue, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1285-24	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, clear, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1261-120	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, red, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1262-120	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, green, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1263-120	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, yellow, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1264-120	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, blue, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1265-120	Selector switch, 22 mm metal, 3-position, maintained, incandescent illuminated, clear, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1281-120	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, red, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1282-120	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, green, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1283-120	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, yellow, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1284-120	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, blue, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56

GCX1285-120	Selector switch, 22 mm metal, 3-position, spring return to center, incandescent illuminated, clear, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$56
GCX1261-24L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, red, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$66
GCX1262-24L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, green, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$67
GCX1263-24L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, yellow, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$66
GCX1264-24L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, blue, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$67
GCX1265-24L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, clear, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$67
GCX1281-24L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, red, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$66
GCX1282-24L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, green, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$67
GCX1283-24L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, yellow, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$66
GCX1284-24L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, blue, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$67
GCX1285-24L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, clear, 24 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$71
GCX1261-120L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, red, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$67
GCX1262-120L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, green, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$67
GCX1263-120L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, yellow, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$67
GCX1264-120L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, blue, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$67
GCX1265-120L	Selector switch, 22 mm metal, 3-position, maintained, LED illuminated, clear, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$70
GCX1281-120L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, red, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$66
GCX1282-120L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, green, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$66
GCX1283-120L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, yellow, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$58
GCX1284-120L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, blue, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$66

GCX1285-120L	Selector switch, 22 mm metal, 3-position, spring return to center, LED illuminated, clear, 120 VAC/DC, knob operator, 2 N.O. and 2 N.C. contact blocks	\$66
GCX1300	Selector switch, 22 mm metal, 2-position, maintained, black knob, 1 N.O. contact block	\$24
GCX1310	Selector switch, 22 mm metal, 2-position, spring return from right, black knob, 1 N.O. contact block	\$26
GCX1320-22	Selector switch, 22 mm metal, 3-position, maintained, black knob, 2 N.O. and 2 N.C. contact blocks	\$42
GCX1330-22	Selector switch, 22 mm metal, 3-position, spring return to center, black knob, 2 N.O. and 2 N.C. contact blocks	\$45
GCX1350	Selector switch, 22 mm metal, 2-position, maintained, black lever, 1 N.O. contact block	\$26
GCX1360	Selector switch, 22 mm metal, 2-position, spring return from right, black lever, 1 N.O. contact block	\$26
GCX1370-22	Selector switch, 22 mm metal, 3-position, maintained, black lever, 2 N.O. and 2 N.C. contact blocks	\$45
GCX1380-22	Selector switch, 22 mm metal, 3-position, spring return to center, black lever, 2 N.O. and 2 N.C. contact blocks	\$46
GCX1420	Selector switch, 22 mm metal, 2-position, maintained, key-operated, 1 N.O. contact block. Key may be removed in all positions.	\$42
GCX1430	Selector switch, 22 mm metal, 2-position, spring return from right, key-operated, 1 N.O. contact block	\$42
GCX1470-22	Selector switch, 22 mm metal, 3-position, maintained, key-operated, 2 N.O. and 2 N.C. contact blocks. Key may be removed in all positions.	\$60
ECX1510	Selector switch, 22 mm metal, 2-position, momentary, joystick operator, 2 N.O. contact blocks	\$60
ECX1512	Selector switch, 22 mm metal, 2-position, maintained, joystick operator, 2 N.O. contact blocks	\$60
ECX1520	Selector switch, 22 mm metal, 4-position, momentary, joystick operator, 4 N.O. contact blocks	\$77
ECX1524	Selector switch, 22 mm metal, 4-position, maintained, joystick operator, 4 N.O. contact blocks	\$77
Product Code	Indicating Lights (and Lamps)	Aust\$
ECX1051-24	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC incandescent, red	\$13
ECX1052-24	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC incandescent, green	\$13
ECX1053-24	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC incandescent, yellow	\$13

ECX1054-24	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC incandescent, blue	\$13
ECX1055-24	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC incandescent, clear	\$13
ECX1056-24	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC incandescent, white	\$13
ECX1051-120	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC incandescent, red	\$16
ECX1052-120	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC incandescent, green	\$16
ECX1053-120	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC incandescent, yellow	\$16
ECX1054-120	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC incandescent, blue	\$16
ECX1055-120	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC incandescent, clear	\$16
ECX1056-120	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC incandescent, white	\$16
ECX2051-24L	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC LED, red	\$12
ECX2051-127L	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC LED, red	\$14
ECX2052-24L	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC LED, green	\$12
ECX2052-127L	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC LED, green	\$14
ECX2053-24L	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC LED, yellow	\$12
ECX2053-127L	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC LED, yellow	\$14
ECX2054-24L	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC LED, blue	\$19
ECX2054-127L	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC LED, blue	\$19
ECX2055-24L	Indicating light, 22 mm non-metal monoblock, 24 VAC/DC LED, white	\$19
ECX2055-127L	Indicating light, 22 mm non-metal monoblock, 120 VAC/DC LED, white	\$19
GCX1231-24L	Indicating light, 22 mm metal, 24 VAC/DC LED, red	\$35

GCX1232-24L	Indicating light, 22 mm metal, 24 VAC/DC LED, green	\$35
GCX1233-24L	Indicating light, 22 mm metal, 24 VAC/DC LED, yellow	\$35
GCX1234-24L	Indicating light, 22 mm metal, 24 VAC/DC LED, blue	\$35
GCX1235-24L	Indicating light, 22 mm metal, 24 VAC/DC LED, clear	\$38
GCX1236-24L	Indicating light, 22 mm metal, 24 VAC/DC LED, white	\$38
GCX1231-120L	Indicating light, 22 mm metal, 120 VAC/DC LED, red	\$37
GCX1232-120L	Indicating light, 22 mm metal, 120 VAC/DC LED, green	\$37
GCX1233-120L	Indicating light, 22 mm metal, 120 VAC/DC LED, yellow	\$37
GCX1234-120L	Indicating light, 22 mm metal, 120 VAC/DC LED, blue	\$37
GCX1235-120L	Indicating light, 22 mm metal, 120 VAC/DC LED, clear	\$39
GCX1236-120L	Indicating light, 22 mm metal, 120 VAC/DC LED, white	\$39
ECX1900-5	6 Volt replacement incandescent lamps for metal and non-metal switches and indicators. Rated 6 Volts @ 1.2 watts. Miniature bayonet base T31/4. Sold in packs of 5.	\$20
ECX1902-5	24 Volt replacement incandescent lamps for metal and non-metal switches and indicators. Rated 24 Volts @ 80 mA. Miniature bayonet base T31/4. Sold in packs of 5.	\$20
ECX1904-5	120 Volt replacement incandescent lamps for metal and non-metal switches and indicators. Rated 130 Volts @ 20 mA. Miniature bayonet base T31/4. Sold in packs of 5.	\$40
ECX1911-2	LED replacement lamp for miniature bayonet base lamps, red, 24 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$36
ECX1912-2	LED replacement lamp for miniature bayonet base lamps, green, 24 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$47
ECX1913-2	LED replacement lamp for miniature bayonet base lamps, yellow, 24 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$36
ECX1914-2	LED replacement lamp for miniature bayonet base lamps, blue, 24 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$49
ECX1915-2	LED replacement lamp for miniature bayonet base lamps, white, 24 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$58
ECX1921-2	LED replacement lamp for miniature bayonet base lamps, red, 120 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$36

ECX1922-2	LED replacement lamp for miniature bayonet base lamps, green, 120 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$47
ECX1923-2	LED replacement lamp for miniature bayonet base lamps, yellow, 120 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$36
ECX1924-2	LED replacement lamp for miniature bayonet base lamps, blue, 120 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$48
ECX1925-2	LED replacement lamp for miniature bayonet base lamps, white, 120 Volt. Works with metal and non-metal switches and incandescent indicators. Package of 2 LED lamps. NOTE: NOT COMPATIBLE WITH CUTLER-HAMMER MONOBLOCK LED INDICATORS.	\$57
Product Code	Pushbutton, Selector Switch and Indicating Light Accessories	Aust\$
GR1172PR-5	Illuminated short lever replacement operator for 22 mm selector switch, two-position, red, pack of 5	\$36
GR1172PV-5	Illuminated short lever replacement operator for 22 mm selector switch, two-position, green, pack of 5	\$36
GR1172PG-5	Illuminated short lever replacement operator for 22 mm selector switch, two-position, yellow, pack of 5	\$36
GR1172PB-5	Illuminated short lever replacement operator for 22 mm selector switch, two-position, blue, pack of 5	\$36
GR1172PN-5	Illuminated short lever replacement operator for 22 mm selector switch, two-position, clear, pack of 5	\$36
GR1288PR-5	Illuminated short lever replacement operator for 22 mm selector switch, three-position, red, pack of 5	\$36
GR1288PV-5	Illuminated short lever replacement operator for 22 mm selector switch, three-position, green, pack of 5	\$36
GR1288PG-5	Illuminated short lever replacement operator for 22 mm selector switch, three-position, yellow, pack of 5	\$36
GR1288PB-5	Illuminated short lever replacement operator for 22 mm selector switch, three-position, blue, pack of 5	\$36
GR1288PN-5	Illuminated short lever replacement operator for 22 mm selector switch, three-position, clear, pack of 5	\$36
PL1298P-5	Illuminated replacement operator for 22 mm mushroom switch, red, pack of 5	\$16
ECX1700-5	Black silicone protection cap for use with metal pushbuttons. This cap will only work with metal standard size pushbuttons. They will not work with Cutler-Hammer pushbuttons or metal 22 mm pushbuttons with 40mm actuator face. Sold in packs of 5.	\$16
ECX1701-5	Red silicone protection cap for use with metal pushbuttons. This cap will only work with metal standard size pushbuttons. They will not work with Cutler-Hammer pushbuttons or metal 22 mm pushbuttons with 40mm actuator face. Sold in packs of 5.	\$16
ECX1702-5	Green silicone protection cap for use with metal pushbuttons. This cap will only work with metal standard size pushbuttons. They will not work with Cutler-Hammer pushbuttons or metal 22 mm pushbuttons with 40 mm actuator face. Sold in packs of 5.	\$16
ECX1703-5	Yellow silicone protection cap for use with metal pushbuttons. This cap will only work with metal standard size pushbuttons. They will not work with Cutler-Hammer pushbuttons or metal 22 mm pushbuttons with 40 mm actuator face. Sold in packs of 5.	\$16

ECX1704-5	Blue silicone protection cap for use with metal pushbuttons. This cap will only work with metal standard size pushbuttons. They will not work with Cutler-Hammer pushbuttons or metal 22 mm pushbuttons with 40 mm actuator face. Sold in packs of 5.	\$16
ECX1705-5	Clear silicone protection cap for use with metal pushbuttons. This cap will only work with metal standard size pushbuttons. They will not work with Cutler-Hammer pushbuttons or metal 22 mm pushbuttons with 40 mm actuator face. Sold in packs of 5.	\$16
ECX1706-5	Clear silicone protection cap for use with metal illuminated pushbuttons. This cap will only work with 22 mm metal illuminated and extended pushbuttons. They will not work with Cutler-Hammer pushbuttons, metal 22 mm pushbuttons with 40 mm actuator face, or metal illuminated mushroom pushbuttons. Sold in packs of 5.	\$26
SA100SL	One-hole plastic enclosure for 22 mm devices, 70 mm H x 70 mm W x 51 mm D, gray top (Note: Will accommodate up to two contact blocks per operator, two wide by one deep)	\$16
SA101SL	One-hole plastic enclosure for 22 mm devices, 70 mm H x 70 mm W x 51 mm D, yellow top (Note: Will accommodate up to two contact blocks per operator, two wide by one deep)	\$16
SA103SL	One-hole plastic enclosure for 22 mm devices, 70 mm H x 70 mm W x 74 mm D, gray top (Note: Will accommodate up to four contact blocks per operator, two wide by two deep)	\$17
SA104SL	One-hole plastic enclosure for 22 mm devices, 70 mm H x 70 mm W x 74 mm D, yellow top (Note: Will accommodate up to four contact blocks per operator, two wide by two deep)	\$19
SA105-40SL	Two-hole plastic enclosure for 22 mm devices, 105 mm H x 70 mm W x 51 mm D, 40 mm between hole centers, gray top (Note: Will accommodate up to two contact blocks per operator, two wide by one deep)	\$20
SA106-40SL	Two-hole plastic enclosure for 22 mm devices, 105 mm H x 70 mm W x 74 mm D, 40 mm between hole centers, gray top (Note: Will accommodate up to four contact blocks per operator, two wide by two deep)	\$22
SA107-40SL	Three-hole plastic enclosure for 22mm devices, 140 mm H x 70 mm W x 51 mm D, 40 mm between hole centers, gray top (Note: Will accommodate up to two contact blocks per operator, two wide by one deep)	\$24
SA108-40SL	Three-hole plastic enclosure for 22mm devices, 140 mm H x 70 mm W x 74 mm D, 40 mm between hole centers, gray top (Note: Will accommodate up to four contact blocks per operator, two wide by two deep)	\$27
SA109-40SL	Four-hole plastic enclosure for 22 mm devices, 185 mm H x 70 mm W x 51 mm D, 40 mm between hole centers, gray top (Note: Will accommodate up to two contact blocks per operator, two wide by one deep)	\$27
SA110-40SL	Four-hole plastic enclosure for 22 mm devices, 185 mm H x 70 mm W x 74 mm D, 40 mm between hole centers, gray top (Note: Will accommodate up to four contact blocks per operator, two wide by two deep)	\$33
SA111-00	Plastic enclosure for 22 mm devices, no holes, 225 mm H x 70 mm W x 74 mm D, gray top	\$30
SA111	Five-hole plastic enclosure for 22 mm devices, 225 mm H x 70 mm W x 74 mm D, 40 mm between hole centers, gray top (Note: Will accommodate up to four contact blocks per operator, two wide by two deep)	\$30
SA112	Six-hole plastic enclosure for 22 mm devices, 225 mm H x 70 mm W x 74 mm D, 30 mm between hole centers (40mm for 6th hole), gray top (Note: Will accommodate up to four contact blocks per operator, two wide by two deep)	\$30
ECX1490	Hole plug for 22.5 mm openings in panels and enclosures. Supplied with O-ring and mounting screw. Package of two plugs.	\$7
ECX1029-2	22 mm support base. Note: This item is supplied as a replacement part and is not required with any switch assembly. Will not work with Cutler-Hammer 22 mm switches.	\$15
ECX1030-5	Replacement normally closed contact block for 22 mm metal pushbutton & selector switches. Sold in packs of 5. NOTE: These contact blocks will not work with other switches sold by AutomationDirect	\$35
ECX1040-5	Replacement normally open contact block for 22 mm metal pushbutton & selector switches. Sold in packs of 5. NOTE: These contact blocks will not work with other switches sold by AutomationDirect	\$35

ECX1030-2	Replacement normally closed contact blocks for 22 mm metal pushbutton and selector switches, pack of 2. NOTE: These contact blocks are not compatible with other switches sold by AutomationDirect.	\$15
ECX1040-2	Replacement normally open contact blocks for 22 mm metal pushbutton and selector switches, pack of 2. NOTE: These contact blocks are not compatible with other switches sold by AutomationDirect.	\$15
ECX1042-2	Replacement normally open push-push contact blocks for 22 mm metal pushbutton and selector switches, pack of 2. NOTE: These contact blocks are not compatible with other switches sold by AutomationDirect.	\$15
ECX1067-2	Replacement key for metal key-actuated selector switches. (Will not work with Cutler-Hammer 22 mm selector switches) Pack of 2.	\$13
APE-02	STOP Legend Plate for Emergency Pushbutton	\$5
ECX2070-24	22 mm audible buzzer, 80db at 10 cm, 24 VAC/DC, black	\$16
ECX2070-127	22 mm audible buzzer, 80db at 10 cm, 120 VAC/DC, black	\$16
ECX2071-24R	22 mm audible buzzer with LED indicator, 80db at 10 cm, 24 VAC/DC, red, non-replaceable LED	\$20
ECX2071-127R	22 mm audible buzzer with LED indicator, 80db at 10 cm, 120 VAC/DC, red, non-replaceable LED	\$20
ECX2300-5K	22 mm potentiometer with 5 Kohm resistance, black handle. Legend plate ECX2640 sold separately.	\$81
ECX2300-10K	22 mm potentiometer with 10 Kohm resistance, black handle. Legend plate ECX2640 sold separately.	\$81
ECX2640	22 mm legend plate for potentiometer with 0% to 100% marking, package of 1	\$8